Northeast Ohio has one of the highest rates in the country for childhood lead poisoning The good news:

Lead poisoning is 100% preventable!

Follow this plan to make your home lead-safe

Get your home inspected



- Homes built before 1978 are the most likely to have lead.
- All rental properties in the City of Cleveland are now required to be lead-safe! Call the Lead Safe Cleveland Resource Center (833-601-5323) for guidance on the process.
- Live outside of Cleveland or own your home? Hire a certified lead inspector.







Renovate safely

- Home repairs can create dangerous lead dust.
- Use contractors certified by the Environmental Protection Agency. Check this list for certified firms.



- Families doing the work themselves should follow EPA practices.



Get your child tested!

- Ask your child's doctor about a simple blood lead test.
- All children with Medicaid insurance or who live in a high-risk zip code must be tested at ages 1-years-old and 2-years-old.

If you live in a home built before 1978, get in these habits to lower the risk of lead



Avoid peeling or chipping paint

- Windows, doorways and porches are the riskiest areas
- Block these areas off till they get fixed!



Wipe surfaces for lead dust - Use damp, soapy disposable rags

- or paper towels at least weekly
- Wipe windows, floors, toys



Wash hands well

- Before cooking, eating and at bedtime; also after playing outside



Leave shoes at the door

- Keep lead outside the home



Don't play in bare soil

- Areas covered with grass, mulch, or wood chips are safer



Run the water

- For a minute or two until cold before using for drinking or cooking

For more information:

Lead Safe Cleveland Resource Center leadsafecle.org/lead-safe-resource-center 833-601-5323 Cleveland Department of Public Health clevelandhealth.org/programs/environment/lead_safe_living/ (216) 263-LEAD Cuyahoga County Board of Health https://www.ccbh.net/lead-poisoning/ 216-201-2000 MetroHealth Lead Coalition https://www.metrohealth.org/pediatrics/lead-testing 216-386-2659

